

SMS Error Code Description

| ErrorCode | Description |
|-----------|--|
| 0 | NORMAL DELIVERED |
| 1 | Source not found EC_UNKNOWN_SUBSCRIBER |
| 2 | Sink not found EC_UNKNOWN_BASE_STATION |
| 3 | Delivery zone not found DND Fail |
| 5 | Location not found EC_UNIDENTIFIED_SUBSCRIBER |
| 6 | Location blocked Absent subscriber |
| 7 | Reply path not found UNKNOWN EQUIPMENT |
| 8 | Message not submit FSM TIMEOUT |
| 9 | Unsupported number plan EC_ILLEGAL_SUBSCRIBER |
| 10 | Unsupported type of number EC_BEARER_SERVICE_NOT_PROVISIONED |
| 11 | Message not DELIVER or STATUS EC_TELESERVICE_NOT_PROVISIONED |
| 12 | Dialling zone not found EC_ILLEGAL_EQUIPMENT |
| 13 | Not home zone and IMSI not allowed EC_CALL_BARRED |
| 14 | Not home zone and IMSI fetch failed Barred unauthorized message originator |
| 15 | Screening block CUG REJECT |
| 18 | ESME error message waiting for report expired' |
| 19 | Originating location mismatch SRIAck unsuccessful with any other error codes' |
| 20 | Originating reservation failed EC_SS_INCOMPATIBILITY |
| 21 | Originating reservation denied subscription not found EC_FACILITY_NOT_SUPPORTED |
| 22 | Originating reservation denied subscription state illegal Memory capacity exceeded |
| 23 | Originating reservation denied call case blocked for subscription Unknown Subscriber' |
| 24 | Originating reservation denied call case blocked for subscription type call forbidden' |
| 25 | Originating reservation denied low balance the network does not support SMS' |
| 26 | 'teleservice not supported' |
| 27 | Absent subscriber |
| 29 | 'HLR:data error in route signal' |
| 30 | Terminating reservation failed HLR:data lacked' |
| 31 | Terminating reservation denied subscription not found EC_SUBSCRIBER_BUSY_FOR_MT_SMS |
| 32 | Terminating reservation denied subscription state illegal EC_SM_DELIVERY_FAILURE |
| 33 | Terminating reservation denied call case blocked for subscription EC_MESSAGE_WAITING_LIST_FULL |
| 34 | Terminating reservation denied call case blocked for subscription type EC_SYSTEM_FAILURE |
| 35 | Terminating reservation denied low balance EC_DATA_MISSING |
| 36 | EC_UNEXPECTED_DATA_VALUE |
| 37 | 'Unmarked Subscriber' |
| 38 | 'failure because the subscriber is busy' |
| 39 | 'VMSC isolated' |
| 40 | System is congested VMSC:data lacked' |
| 41 | Originating IMSI mismatch VMSC:unexpected data' |
| 42 | 'MS error' |
| 43 | Not Supported by equipment |
| 44 | Illegal equipment |
| 45 | Quarantine Add Unspecific PID Error |

| | |
|-----|---|
| 46 | Quarantine Remove Message Class Not Supported |
| 47 | DCS error |
| 48 | TPDU Not Supported |
| 49 | Short message delivery failure with memory capacity exceeded |
| 50 | Unexpected error from Store UNKNOWN ERROR |
| 51 | Direct delivery disabled from store EC_RESOURCE_LIMITATION |
| 53 | Message limit exceeded Subscriber Busy For MT-SMS |
| 54 | Retry scheme ended Data Download Error |
| 60 | Originator blocked Absent subscriber |
| 61 | Destination blocked Absent subscriber |
| 62 | Keyword blocked Absent subscriber |
| 63 | SC address blocked Absent subscriber |
| 64 | Blocked due to exceeded quota Absent subscriber |
| 65 | Loop detected Absent subscriber |
| 66 | Data coding scheme blocked Absent subscriber over GPRS Page Fail |
| 67 | Information element identifier blocked Absent subscriber over GPRS Detached |
| 68 | Country Code Validation Block Absent subscriber over GPRS Deregistered |
| 69 | Destination Flooding |
| 70 | No ESME provider available MS store is full' |
| 71 | ESME account not connected EC_UNKNOWN_ALPHABET |
| 72 | No ESME sub account routing EC_USSD_BUSY |
| 74 | ESME local throttling - exceeded msg/s INVALID HEADER IN MSG |
| 80 | Home routing sender GT mismatch PENDING DLR (Retry) |
| 81 | Location mismatch between provided location and location known to HLR. Service not supported |
| 82 | IMSI mismatch between provided IMSI Mistyped parameter |
| 83 | Local throttling by sink No response from the peer |
| 84 | The IMSI could not be retrieved from the HSS Resource limitation |
| 85 | The IMEI of the UE is unknown Initiating release |
| 86 | The user location is unknown Unrecognised error |
| 87 | ESME router Provider Error (In case of any failures observed in TCAP level this error will generate). |
| 88 | Network fluctuation from far End Operator(Temporary Error) |
| 89 | INVALID PACKET AT SMSC LEVEL |
| 90 | USER-ABORT |
| 91 | PROVIDER-ABORT |
| 92 | MSC NUMBER MISSING |
| 93 | Equipment protocol error |
| 94 | Equipment not SM equipped |
| 95 | Unknown service centre |
| 96 | Service Centre congestion |
| 97 | INVALID SCHEDULE DELIVERY TIME |
| 98 | Subscriber not SC subscriber |
| 99 | Invalid SME address |
| 100 | Unidentified subscriber no response from the called subscriber' |
| 101 | Facility not supported VMSC:the called MS poweroff' |
| 102 | System failure VMSC:limited due to MS roaming' / SENDER ID BLOCKED |
| 103 | Unexpected data value ROUTE NOT ACTIVE |
| 104 | Data missing OFF-NET NOT ACTIVE FOR ACCOUNT/ ON-NET ROUTES NOT DEFINED |

| | |
|-----|--|
| 105 | Equipment protocol error MTP_FAILURE |
| 106 | UNKNOWN service centre address MS response is overtime' |
| 107 | Service centre congestion HLR:the subscriber is unregistered' |
| 108 | Invalid short message entity address ROUTE BLOCKED FOR THIS SERIES |
| 109 | Subscriber not service centre subscriber MSISDN SERIES NOT CONFIGURED |
| 110 | Reject NOT ABLE TO GET FINAL ROUTE |
| 111 | Local cancel Queue_Unavailable |
| 112 | Abort NOT A VALID TEMPLATE |
| 113 | Exception MANDATORY WORDS NOT FOUND |
| 114 | UNKNOWN DEFAULT ROUTE NOT FOUND IN CONFIGURED ROUTES |
| 115 | ROUTE NOT CONFIGURED AT PLATFORM LEVEL |
| 116 | Map Dialog P Abort Indication Provider Reason: Maintenance Activity |
| 117 | Map Dialog P Abort Indication Provider Reason: Version Incompatibility |
| 118 | Map Dialog P Abort Indication Provider Reason: Abnormal Dialogue |
| 119 | MAP_DLGUA_UsrRsn_NTR_MapDlgUnavailable |
| 120 | MAP_DLGUA_UsrRsn_NTR_MapNotConfigured |
| 121 | MAP_DLGUA_UsrRsn_NTR_OtherErr |
| 122 | MAP_DLGRJT_PrRsn_NotSent |
| 123 | INTERNATIONAL ROAMING |
| 124 | EC_OR_appContextNotSupported |
| 125 | EC_OR_invalidDestinationReference |
| 126 | EC_OR_invalidOriginatingReference |
| 127 | EC_OR_encapsulatedAC_NotSupported |
| 128 | EC_OR_transportProtectionNotAdequate |
| 129 | EC_OR_noReasonGiven |
| 130 | EC_OR_potentialVersionIncompatibility |
| 131 | EC_OR_remoteNodeNotReachable |
| 132 | Map Dialog Rejected Refuse Reason: Application Context not supported |
| 133 | Map Dialog Rejected Refuse Reason: Potential Version Incompatibility |
| 134 | Map Dialog Rejected Refuse Reason: Remote Node not reachable |
| 135 | Map Dialog Rejected Provider Reason: Provider malfunction |
| 136 | Map Dialog Rejected Provider Reason: Transaction Released |
| 137 | Map Dialog Rejected Provider Reason: Resource Limitation |
| 138 | Map Dialog Rejected Provider Reason: Maintenance Activity |
| 139 | Map Dialog Rejected Provider Reason: Version Incompatibility |
| 140 | Map Dialog Rejected Provider Reason: Abnormal Dialogue |
| 141 | Map Dialog User Abort Diagnostic Info: Short Term resource Limitation |
| 142 | Map Dialog User Abort Diagnostic Info: Long term resource limitation |
| 143 | Map Dialog User Abort Diagnostic Info: Handover cancellation |
| 144 | Map Dialog User Abort Diagnostic Info: Radio Channel Release |
| 145 | Map Dialog User Abort Diagnostic Info: Call Release |
| 146 | Map Dialog User Abort Diagnostic Info: Network path Release |
| 147 | Map Dialog User Abort Diagnostic Info: Associated Procedure release |
| 148 | Map Dialog User Abort Diagnostic Info: Tandem Dialog Release |
| 149 | Map Dialog User Abort Diagnostic Info: Remote Operation Failure |
| 150 | UNKNOWN subscriber Map Dialog User Abort User Reason: User specific reason |
| 151 | Call barred Map Dialog User Abort User Reason: User resource limitation |
| 152 | Teleservice not provisioned EC_NNR_noTranslationForAnAddressOfSuchNature |
| 153 | Absent subscriber EC_NNR_noTranslationForThisSpecificAddress |

| | |
|-----|---|
| 154 | Facility not supported EC_NNR_subsystemCongestion |
| 155 | System failure EC_NNR_subsystemFailure |
| 156 | Unexpected data value EC_NNR_unequippedUser |
| 157 | Data missing EC_NNR_MTPfailure |
| 158 | Memory capacity exceeded EC_NNR_networkCongestion |
| 159 | Mobile subscriber not reachable EC_NNR_unqualified |
| 160 | Reject EC_NNR_errorInMessageTransportXUDT |
| 161 | Local cancel EC_NNR_errorInLocalProcessingXUDT |
| 162 | Abort EC_NNR_destinationCannotPerformReassemblyXUDT |
| 163 | Exception EC_NNR_SCCPfailure |
| 164 | UNKNOWN EC_NNR_hopCounterViolation |
| 165 | EC_NNR_segmentationNotSupported |
| 166 | EC_NNR_segmentationFailure |
| 167 | USSD platform Unknown error |
| 168 | DND Blocked |
| 169 | MAP-P-Abort: Provider reasons |
| 170 | MAP-P-Abort Provider reason: Malfunction |
| 171 | MAP-P-Abort Provider reason: Dialog Released |
| 172 | 'waiting queue in destination subscriber table is full' |
| 173 | MAP-P-Abort Provider reason: Abnormal Dialog |
| 174 | MAP-P-Abort: Invalid PDU |
| 175 | MAP-Open: Out of MAP dialogs |
| 176 | Invalid Service code |
| 177 | Subscriber MSISDN Blacklisted |
| 178 | Subscriber IMSI Blacklisted |
| 179 | Invalid Originating Address with Length greater than 20 chars |
| 180 | MAP-Open Refuse reason: Node Not Reached |
| 181 | 'service barred' |
| 182 | 'operation barred' |
| 183 | VLRBlackListed |
| 184 | VLRWhiteListed |
| 185 | MAP-Notice Problem: Message Cannot Be Delivered |
| 186 | BILNG_SystemError |
| 187 | MAP-Notice: Abnormal event detected by peer |
| 188 | MAP-U-Abort: Error |
| 189 | MAP-U-Abort User Reason: User Specific Reason |
| 190 | MAP-U-Abort: User resource limitation |
| 191 | MAP-U-Abort: Resource unavailable (short term) |
| 192 | Unexpected session release from Servers/3rd party APP |
| 193 | 'unknServCent' |
| 194 | 'sc_Congestion' |
| 195 | 'invaSME_Add' |
| 196 | 'subsNotSC_Subsc' |
| 197 | Application Specific Error from Client |
| 198 | MAP-U-Abort: Application procedure cancellation (tandem dialogue released) |
| 199 | MAP-U-Abort: Application procedure cancellation (remote operations failure) |
| 200 | Unidentified subscriber OPERATOR BLOCKED FOR ACCOUNT |
| 201 | Absent subscriber IMSI detached EC_unknown Subscriber |

| | |
|-----|--|
| 202 | Absent subscriber no page response Unknown Base Station |
| 203 | Subscriber busy for MT-SMS Unknown MSC |
| 205 | Illegal subscriber EC_Unidentified Subscriber |
| 206 | Illegal equipment Absent Subscriber for SM |
| 206 | Illegal equipment Absent Subscriber for SM |
| 207 | System failure Unknown Equipment |
| 208 | Unexpected data value Roaming Not Allowed |
| 209 | Data missing Illegal Subscriber |
| 210 | Memory capacity exceeded Illegal SS Operation |
| 211 | Equipment protocol error SS Error Status |
| 212 | Equipment not short message equipped SS Not Available |
| 213 | Reject SS Subscription Violation |
| 214 | Local cancel SS Incompatible |
| 215 | Abort HLR:limited due to MS roaming' |
| 216 | Exception Internal IPC memory allocation Failure |
| 217 | UNKNOWN Internal IPC Router Failure |
| 218 | 'HLR:illegal subscriber' |
| 219 | 'HLR:subscriber absent' |
| 220 | 'HLR:the called MS poweroff' |
| 221 | MSISDN BLOCKED |
| 221 | Message List Full |
| 222 | MESSAGE CONTENT IS BLACKLISTED/EC_Network System Failure |
| 223 | Data Missing |
| 224 | Unexpected Data |
| 225 | MESSAGE CONTENT IS BLACKLISTED AT OPERATOR/ 'HLR:no response' |
| 226 | 'VMSC:no response' |
| 227 | IN Subscriber not exist1 |
| 228 | 'the destination subscriber PPS authentication overtime' |
| 229 | 'IN Invalid subscriber' |
| 230 | Not Allowed |
| 231 | ATI Not Allowed |
| 232 | No Group Call Number Available |
| 233 | Resource Limitation |
| 234 | Unauthorized Requesting Network |
| 235 | Unathorized LCS Client |
| 236 | Position Method Failure |
| 237 | Custom error 8 |
| 238 | Custom error 9 |
| 239 | Custom error 10 |
| 240 | Recipient Temporary Error |
| 241 | Recipient Permanent Error |
| 242 | Service Not configured/for a particular circle/subscriber. Or simply menu is incomplete or service i |
| 243 | Terminating session due to invalid input |
| 244 | Unspecific |
| 245 | 'HLR:the remote address not reachable' /'VMSC:Invalid Destination' |
| 246 | Client Resource Not Available |
| 247 | Unknown Alphabet |
| 248 | EC_TIME_OUT |
| 249 | EC_IMSI_BLACKLISTED |

| | |
|-----|---|
| 250 | Personal service barring EC_DEST_ADDRESS_BLACKLISTED |
| 251 | Personal service barring EC_InvalidMscAddress |
| 252 | Personal service barring MESSAGE VALIDITY EXPIRED |
| 253 | Personal service barring the origination subscriber PPS authentication SCP connection broken' |
| 254 | Personal service barring any other error code other than 255 |
| 255 | Personal service barring EC_UNKNOWN_ERROR |
| 255 | Personal service barring EC_UNKNOWN_ERROR |
| 256 | Personal service barring EC_SM_DF_memoryCapacityExceeded |
| 257 | Personal service barring EC_SM_DF_equipmentProtocolError |
| 258 | EC_SM_DF_equipmentNotSM_Equipped |
| 259 | EC_SM_DF_unknownServiceCentre |
| 260 | EC_SM_DF_sc_Congestion |
| 260 | 'SMS not supported by MS' |
| 261 | EC_SM_DF_invalidSME_Address |
| 262 | EC_SM_DF_subscriberNotSC_Subscriber |
| 263 | MO Handover: Destination SME Barred |
| 264 | MO Handover: Duplicate Message Rejected |
| 265 | MO Handover: Validity Period Format Unsupported |
| 266 | MO Handover: Validity Period Unsupported |
| 267 | MO Handover: Not Supported by equipment |
| 268 | MO Handover: System Error |
| 269 | MO Handover: Duplicated invoke id |
| 270 | MO Handover: Service not supported |
| 271 | MO Handover: Mistyped parameter |
| 272 | MO Handover: No response from the peer |
| 273 | MO Handover: Resource limitation |
| 274 | MO Handover: Initiating release |
| 275 | Error Gateway |
| 276 | MO Handover: Unexpected error |
| 277 | MO Handover: Unexpected response from the peer |
| 278 | MO Handover: Unable to complete operation within timeout |
| 279 | MO Handover: Invalid response received |
| 280 | Error MO Handover: TCAP error |
| 281 | EC_UA_userSpecificReason |
| 282 | EC_UA_userResourceLimitation |
| 283 | EC_UA_resourceUnavailable |
| 284 | EC_UA_applicationProcedureCancellation |
| 285 | MO Handover: Unexpected Data Value |
| 286 | MO Handover: Telematic Interworking not Supported |
| 287 | MO Handover: FDA throttled |
| 288 | MO Handover: SM decoding problem |
| 300 | Invalid destination address Provider Error Duplicate Invoke ID |
| 301 | Invalid destination numbering plan Provider Error Service Not Supported |
| 302 | Invalid destination type of number Provider Error Mistyped Paramter |
| 303 | Invalid destination flag Provider Error Resource Limitation |
| 304 | Invalid number of destinations Provider Error Initiating Release |
| 305 | Provider Error Unexpected Response |
| 306 | Provider Error Service Completion Failure |
| 307 | EC_Provider No Response from Peer |

| | |
|-----|--|
| 308 | Provider Error Invalid Response |
| 400 | EC_MAP_abort_error |
| 401 | Stack/Sig Error Map User specific Reason |
| 402 | Stack/Sig Error Map User Resource Limitation |
| 403 | Stack/Sig Error Map Resource Unavailable |
| 404 | Stack/Sig Error Map Application Procedure Cancellation |
| 407 | EC_HLR/MSC Timeout |
| 409 | Unknown Error |
| 410 | EC_Cancelled |
| 411 | EC_ValidityExpired |
| 412 | EC_NotSubmittedToSmpChannel |
| 413 | EC_DESTINATION_FLOODING |
| 414 | EC_DESTINATION_TXT_FLOODING |
| 415 | Stack/Sig Response Rejected By Peer |
| 416 | Stack/Sig Abnormal Event Recieved From Peer |
| 417 | Stack/Sig Cannot deliver Message |
| 417 | Sig Error Map Invalid Response from peer |
| 418 | Sig Error Map Dialogue Does not Exist |
| 419 | Sig Error Map Max evoke reached |
| 420 | Stack/Sig Invalid Origination Reference |
| 420 | Stack/Sig Invalid Origination Reference |
| 421 | Stack/Sig No Reson |
| 421 | Stack/Sig No Reson |
| 422 | Stack/Sig Remote Node Not Reachable |
| 422 | Stack/Sig Remote Node Not Reachable |
| 423 | Stack/Sig Map Potential Version Incompatibility |
| 424 | Stack/Sig Secured Transport Not Possible |
| 424 | Stack/Sig Secured Transport Not Possible |
| 425 | Stack/Sig Usr Transport Protection Not Adequate |
| 425 | Stack/Sig Usr Transport Protection Not Adequate |
| 428 | Sig Error MAP Subsystem congested |
| 428 | Sig Error MAP Subsystem congested |
| 429 | Sig Error MAP Subsystem failure |
| 429 | Sig Error MAP Subsystem failure |
| 430 | Sig Error MAP Error in local processing CCIT92 |
| 430 | Sig Error MAP Error in local processing CCIT92 |
| 431 | Sig Error MAP Re assembly failure |
| 431 | Sig Error MAP Re assembly failure |
| 432 | Sig Error MAP SCCP failure |
| 432 | Sig Error MAP SCCP failure |
| 433 | Sig Error MAP HOP counter violation ITU |
| 433 | Sig Error MAP HOP counter violation ITU |
| 434 | Sig Error MAP segmentation not supported |
| 434 | Sig Error MAP segmentation not supported |
| 435 | Sig Error MAP Segmentation failure |
| 435 | Sig Error MAP Segmentation failure |
| 496 | EC_invalidPduFormat |
| 497 | EC_NotSubmittedToGMSC |
| 500 | EC_PROVIDER_GENERAL_ERROR |
| 501 | Insufficient Balance |

| | |
|------|---|
| 502 | EC_NO_RESPONSE |
| 503 | EC_SERVICE_COMPLETION_FAILURE |
| 504 | EC_UNEXPECTED_RESPONSE_FROM_PEER |
| 507 | EC_MISTYPED_PARAMETER |
| 508 | EC_NOT_SUPPORTED_SERVICE |
| 509 | EC_DUPLICATED_INVOKE_ID |
| 510 | Temp_Fail |
| 511 | SPAM_Fail |
| 536 | EC_PA_providerMalfunction |
| 537 | EC_PA_supportingDialogOrTransactionReleased |
| 538 | EC_PA_resourceLimitation |
| 539 | EC_PA_maintenanceActivity |
| 540 | EC_PA_versionIncompatibility |
| 541 | EC_PA_abnormalMapDialog |
| 600 | Internal Error |
| 601 | Timeout at SRI |
| 602 | Absent subscriber |
| 703 | Submit_SM_Timeout |
| 715 | Expired at BMG |
| 715 | Expired |
| 792 | EC_NC_abnormalEventDetectedByPeer |
| 793 | EC_NC_responseRejectedByPeer |
| 794 | EC_NC_abnormalEventReceivedFromPeer |
| 795 | EC_NC_messageCannotBeDeliveredToPeer |
| 796 | EC_NC_providerOutOfInvoke |
| 801 | EC_BLACKLISTED_MSISDN |
| 1001 | No Response from far Network |
| 1024 | EC_OR_appContextNotSupported |
| 1025 | EC_OR_invalidDestinationReference |
| 1026 | EC_OR_invalidOriginatingReference; |
| 1027 | EC_OR_encapsulatedAC_NotSupported |
| 1028 | EC_OR_transportProtectionNotAdequate |
| 1029 | EC_OR_noReasonGiven |
| 1030 | EC_OR_potentialVersionIncompatibility |
| 1031 | EC_OR_remoteNodeNotReachable |
| 1152 | EC_NNR_noTranslationForAnAddressOfSuchNatur |
| 1153 | EC_NNR_noTranslationForThisSpecificAddress |
| 1154 | EC_NNR_subsystemCongestion |
| 1155 | EC_NNR_subsystemFailure |
| 1156 | EC_NNR_unequippedUser |
| 1157 | EC_NNR_MTPfailure |
| 1158 | EC_NNR_networkCongestion |
| 1159 | EC_NNR_unqualified |
| 1160 | EC_NNR_errorInMessageTransportXUDT |
| 1161 | EC_NNR_errorInLocalProcessingXUDT |
| 1162 | EC_NNR_destinationCannotPerformReassemblyXUDT |
| 1163 | EC_NNR_SCCPfailure |
| 1164 | EC_NNR_hopCounterViolation |
| 1165 | EC_NNR_segmentationNotSupported |
| 1166 | EC_NNR_segmentationFailure |

| | |
|------|--|
| 1281 | EC_UA_userSpecificReason |
| 1282 | EC_UA_userResourceLimitation |
| 1283 | EC_UA_resourceUnavailable |
| 1284 | EC_UA_applicationProcedureCancellation |
| 1536 | EC_PA_providerMalfunction |
| 1537 | EC_PA_supportingDialogOrTransactionReleased |
| 1538 | EC_PA_ressourceLimitation |
| 1539 | EC_PA_maintenanceActivity |
| 1540 | EC_PA_versionIncompatibility |
| 1541 | EC_PA_abnormalMapDialog |
| 1793 | EC_NC_responseRejectedByPeer |
| 1794 | EC_NC_abnormalEventReceivedFromPeer |
| 1795 | EC_NC_messageCannotBeDeliveredToPeer |
| 1796 | EC_NC_providerOutOfInvoke |
| 2000 | Make_Call API Failure |
| 2001 | Message too long |
| 2002 | Command length is invalid |
| 2003 | Command ID is invalid or not supported |
| 2004 | Incorrect bind status for given command |
| 2005 | Already bound |
| 2006 | Invalid Priority Flag |
| 2007 | Invalid registered delivery flag |
| 2008 | System error |
| 2010 | Invalid source address |
| 2011 | Invalid destination address |
| 2012 | Message ID is invalid |
| 2013 | Bind failed |
| 2014 | Invalid password |
| 2015 | Invalid System ID |
| 2017 | Cancelling message failed |
| 2019 | Message replacement failed |
| 2020 | Message queue full |
| 2021 | Invalid service type |
| 2022 | Invalid services type |
| 2048 | EC_TIME_OUT |
| 2049 | EC_IMSI_BLACKLISTED |
| 2050 | EC_DEST_ADDRESS_BLACKLISTED |
| 2051 | EC_InvalidMscAddress |
| 2052 | EC_BLACKLISTED_DESTINATIONADDRESS |
| 2064 | Invalid destination flag |
| 2066 | Invalid submit with replace request |
| 2067 | Invalid esm class set |
| 2068 | Invalid submit to ditribution list |
| 2069 | Submitting message has failed |
| 2072 | Invalid source address type of number (TON) |
| 2073 | Invalid source address numbering plan (NPI) |
| 2080 | Invalid destination address type of number (TON) |
| 2081 | Invalid destination address numbering plan (NPI) |
| 2083 | Invalid system type |
| 2084 | Invalid replace_if_present flag |

| | |
|------|---|
| 2085 | Invalid number of messages |
| 2088 | Throttling error |
| 2097 | Invalid scheduled delivery time |
| 2098 | Invalid Validty Period value |
| 2099 | Predefined message not found |
| 2100 | ESME Receiver temporary error |
| 2101 | ESME Receiver permanent error |
| 2102 | ESME Receiver reject message error |
| 2103 | Message query request failed |
| 2168 | DND Block |
| 2192 | Error in the optional part of the PDU body |
| 2193 | TLV not allowed |
| 2194 | Invalid parameter length |
| 2195 | Expected TLV missing |
| 2196 | Invalid TLV value |
| 2254 | Transaction delivery failure |
| 2255 | Unknown error |
| 2256 | ESME not authorised to use specified servicetype |
| 2257 | ESME prohibited from using specified operation |
| 2258 | Specified servicetype is unavailable |
| 2259 | Specified servicetype is denied |
| 2260 | Invalid data coding scheme |
| 2261 | Invalid source address subunit |
| 2262 | Invalid destination address subunit |
| 2300 | Incorrect destination address |
| 2301 | Incorrect number of destination addresses |
| 2302 | Syntax error in user data parameter |
| 2303 | Incorrect bin/head/normal user data parameter combination |
| 2304 | Incorrect dcs parameter usage |
| 2305 | Incorrect validity period parameters usage |
| 2306 | Incorrect originator address usage |
| 2307 | Incorrect PID parameter usage |
| 2308 | Incorrect first delivery parameter usage |
| 2309 | Incorrect reply path usage |
| 2310 | Incorrect status report request parameter usage |
| 2311 | Incorrect cancel enabled parameter usage |
| 2312 | Incorrect priority parameter usage |
| 2313 | Incorrect tariff class parameter usage |
| 2314 | Incorrect service description parameter usage |
| 2315 | Incorrect transport type paramdeter usage |
| 2316 | Incorrect message type parameter usage |
| 2318 | Incorrect MMS parameter usage |
| 2319 | Incorrect operation timer parameter usage |
| 2320 | Incorrect dialogue ID parameter usage |
| 2321 | Incorrect alpha originator address usage |
| 2322 | Invalid data for alpha numeric originator |
| 2323 | Online closed user group rejection |
| 2324 | Licence exceeded |
| 4000 | DLT_SCRUBBING_TIMEOUT |
| 4001 | DLT_SCRUBBING_TIMEOUT |

| | |
|------|--|
| 4096 | EC_InvalidPduFormat |
| 4097 | EC_NotSubmittedToGMSC |
| 4100 | EC_Cancelled |
| 4101 | EC_ValidityExpired |
| 4103 | EC_DESTINATION_FLOODING |
| 4104 | EC_DESTINATION_TXT_FLOODING |
| 4106 | BLOCKED_BY_DLT |
| 4107 | DLT_SCRUBBING_TIMEOUT |
| 4108 | SENDER_BLOCKED_BY_DLT |
| 5000 | SCRUBBING_FAILED |
| 5001 | SCRUBBING_FAILED |
| 5101 | FULLY BLOCKED or PROMO BLOCKED |
| 5102 | FAILED DUE TO PREFERENCE CATEGORY |
| 5103 | FAILED DUE TO PREFERENCE COMMUNICATION MODE |
| 5104 | PREFERNCE STATUS IS ACTIVE |
| 5105 | FAILED AS PREFERRED DAY IS BLOCKED |
| 5106 | FAILED AS PREFERRED TIME IS BLOCKED |
| 5107 | BLACKOUT TIME |
| 5108 | FAILED AS CONTENT IS PROMO & PREFERENCE STATUS IS TERMINATED |
| 5201 | SENDER_BLOCKED_BY_DLT |
| 5202 | SENDER_BLOCKED_BY_DLT |
| 5203 | SENDER_MISMATCH_WITH_ENTITY |
| 5204 | SENDER_BLOCKED_BY_DLT |
| 5205 | Entity_ID_Not_Matched |
| 5301 | TEMPLATE_ERROR |
| 5302 | TEMPLATE_ERROR |
| 5303 | TEMPLATE_ERROR |
| 5304 | TEMPLATE_ERROR |
| 5305 | TEMPLATE_ERROR |
| 5306 | TEMPLATE_ERROR |
| 5307 | TEMPLATE_ERROR |
| 5308 | TEMPLATE_ERROR |
| 5401 | TEMPLATE_ERROR |
| 5402 | TEMPLATE_ERROR |
| 5403 | TEMPLATE_ERROR |
| 5404 | TEMPLATE_ERROR |
| 5405 | TEMPLATE_ERROR |
| 5406 | TEMPLATE_ERROR |
| 5501 | CONSENT_FAILED |
| 5502 | CONSENT_FAILED |
| 5503 | CONSENT_FAILED |
| 7001 | ENTITY_ID_ERROR |
| 7002 | ENTITY_ID_ERROR |
| 7003 | ENTITY_ID_ERROR |
| 7004 | ENTITY_ID_ERROR |
| 20A | Bearer Service Not Supported |
| 20b | Tele Service Not Provisioned |
| 20c | Error Equipment |
| 20d | Call Barred |
| 20E | Error Forward Violation |

| | |
|-----|---|
| 20F | Error CUG Reject |
| 21A | Subsequent Handover Failure |
| 21b | Absent Subscriber for MT |
| 21C | Incompatible Terminal |
| 21D | Short Term Denial |
| 21E | Long Term Denial |
| 21f | Subscriber Busy for MT |
| 22C | Number of PW attempts Violation |
| 22D | Busy Subscriber |
| 22E | No Reply from Subscriber |
| 22F | Forwarding Failed |
| 23A | Unknown or Unreachable LCS Client |
| 40a | Stack/Sig Error Map Provider Malfunction |
| 40B | Stack/Sig Error Map Unrecognised Transaction ID |
| 40C | Stack/Sig Error Dialog Resource Limitation |
| 40D | Stack/Sig Error Map Maintenance Activity |
| 40E | Stack/Sig Error Map Version Incompatibility |
| 40F | Stack/Sig Error Abnormal Map Dialogue |
| 41A | Sig Error MAP guard timer expired |
| 41B | Sig Error MAP SPCAUSE mask |
| 41c | Sig Error MAP No translation Based Address |
| 41d | Sig Error MAP No translation specific address |
| 41E | Stack/Sig Application Context Not Supported |
| 41F | Stack/Sig DIG Invalid Destination Reference |
| 42a | Sig Error MAP unequipped user |
| 42b | Sig Error MAP network failure |
| 42c | Sig Error MAP network congestion |
| 42d | Sig Error MAP unqualified |
| 42E | Sig Error MAP HOP Counter violation ANS92 |
| 42F | Sig Error MAP Error in message transport CCIT92 |
| 20A | Bearer Service Not Supported |
| 20B | Tele Service Not Provisioned |
| 20C | Error Equipment |
| 20D | Call Barred |
| 20E | Error Forward Violation |
| 20F | Error CUG Reject |
| 21A | Subsequent Handover Failure |
| 21B | Absent Subscriber for MT |
| 21C | Incompatible Terminal |
| 21D | Short Term Denial |
| 21E | Long Term Denial |
| 21F | Subscriber Busy for MT |
| 22C | Number of PW attempts Violation |
| 22D | Busy Subscriber |
| 22E | No Subscriber Reply |
| 22F | Forwarding Failed |
| 23A | Unknown or Unreachable LCS Client |
| 40A | Stack/Sig Error Map Provider Malfunction |
| 40A | Stack/Sig Error Map Provider Malfunction |
| 40B | Stack/Sig Error Map Unrecognised Transaction ID |

| | |
|-----|---|
| 40B | Stack/Sig Error Map Unrecognised Transaction ID |
| 40C | Stack/Sig Error Dialog Resource Limitation |
| 40C | Stack/Sig Error Dialog Resource Limitation |
| 40D | Stack/Sig Error Map Maintenance Activity |
| 40D | Stack/Sig Error Map Maintenance Activity |
| 40E | Stack/Sig Error Map Version Incompatibility |
| 40E | Stack/Sig Error Map Version Incompatibility |
| 40F | Stack/Sig Error Abnormal Map Dialogue |
| 40F | Stack/Sig Error Abnormal Map Dialogue |
| 41A | Sig Error Map guard Timer Expired |
| 41B | Sig Error Map SPCAUSE mask |
| 41C | Sig Error MAP No Translation Basd Address |
| 41D | Sig Error MAP No Translation specific address |
| 41E | Stack/Sig Application Context Not Supported |
| 41F | Stack/Sig Dlg Invalid Destination Reference |
| 42A | Sig Error MAP Un Equipped User |
| 42A | Sig Error MAP Un Equipped User |
| 42B | Sig Error MAP Network Failure |
| 42B | Sig Error MAP Network Failure |
| 42C | Sig Error MAP Network Conjestion |
| 42C | Sig Error MAP Network Conjestion |
| 42D | Sig Error MAP un Qualified |
| 42D | Sig Error MAP un Qualified |
| 42E | Sig Error MAP HOP Counter violaion ANS92 |
| 42E | Sig Error MAP HOP Counter violaion ANS92 |
| 42F | Sig Error MAP Error in message transport CCIT92 |
| 42F | Sig Error MAP Error in message transport CCIT92 |